



US008434024B2

(12) **United States Patent**
Curtis

(10) **Patent No.:** **US 8,434,024 B2**
(45) **Date of Patent:** ***Apr. 30, 2013**

(54) **SYSTEM AND METHOD FOR
AUTOMATICALLY AND GRAPHICALLY
ASSOCIATING
PROGRAMMATICALLY-GENERATED
MEDIA ITEM RECOMMENDATIONS
RELATED TO A USER'S SOCIALLY
RECOMMENDED MEDIA ITEMS**

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,870,579 A 9/1989 Hey
5,621,456 A 4/1997 Florin et al.
5,771,778 A 6/1998 MacLean, IV

(Continued)

FOREIGN PATENT DOCUMENTS

CN 1208930 A 2/1999
EP 0898278 A2 2/1999

(Continued)

OTHER PUBLICATIONS

"YouTube—Broadcast Yourself," <http://www.youtube.com/>, copy-
right 2007 YouTube, LLC, printed Oct. 26, 2007, 2 pages.

(Continued)

Primary Examiner — Nicholas Augustine

(75) Inventor: **Scott Curtis**, Durham, NC (US)

(73) Assignee: **Napo Enterprises, LLC**, Portsmouth,
NH (US)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 217 days.

This patent is subject to a terminal dis-
claimer.

(21) Appl. No.: **13/076,880**

(22) Filed: **Mar. 31, 2011**

(65) **Prior Publication Data**

US 2012/0072846 A1 Mar. 22, 2012

Related U.S. Application Data

(63) Continuation of application No. 11/696,849, filed on
Apr. 5, 2007, now Pat. No. 8,112,720.

(51) **Int. Cl.**
G06F 3/048 (2006.01)
G06F 3/01 (2006.01)


(52) **U.S. Cl.**
USPC **715/811**; 715/786; 715/810; 715/829;
715/833; 715/835

(58) **Field of Classification Search** 715/786,
715/810, 811, 829, 833, 835, 853, 968
See application file for complete search history.

(57) **ABSTRACT**

A system and method for automatically, programmatically generating media item recommendations on a graphical user interface (GUI) based on a friend media item recommendation selected by a user. In the preferred embodiment, a selected media item recommendation is displayed in the GUI. Received friend media item recommendations are displayed in a list in relevance order adjacent to the selected media item. A programmatically-generated media item recommendation list is automatically generated based on relevance to the selected media item and displayed in another adjacent area to the selected media item recommendation. In this manner, a user can easily play the selected media item recommendation, and then browse the friend media item recommendations and the automatically updated programmatically-generated media item recommendations, which are both provided in their own respective adjacent areas, in order of closest relationship to the selected media item recommendation, at any time.

44 Claims, 10 Drawing Sheets



US 8,434,024 B2

Page 2

U.S. PATENT DOCUMENTS

5,956,027 A	9/1999	Krishnamurthy	7,680,959 B2	3/2010	Svendsen
5,960,437 A	9/1999	Krawchuk et al.	7,720,871 B2	5/2010	Rogers et al.
5,963,916 A	10/1999	Kaplan	7,725,494 B2	5/2010	Rogers et al.
6,134,552 A	10/2000	Fritz et al.	7,730,216 B1	6/2010	Issa et al.
6,195,657 B1	2/2001	Rucker et al.	7,751,773 B2	7/2010	Linden
6,266,649 B1	7/2001	Linden et al.	7,761,399 B2	7/2010	Evans
6,314,420 B1	11/2001	Lang et al.	7,765,192 B2	7/2010	Svendsen
6,317,722 B1	11/2001	Jacobi et al.	7,805,129 B1	9/2010	Issa et al.
6,353,823 B1	3/2002	Kumar	7,827,110 B1	11/2010	Wieder
6,388,714 B1	5/2002	Schein et al.	7,865,522 B2	1/2011	Purdy et al.
6,438,579 B1	8/2002	Hosken	7,970,922 B2	6/2011	Svendsen
6,498,955 B1	12/2002	McCarthy et al.	8,112,720 B2	2/2012	Curtis
6,526,411 B1	2/2003	Ward	2001/0013009 A1	8/2001	Greening et al.
6,567,797 B1	5/2003	Schuette et al.	2001/0021914 A1	9/2001	Jacobi et al.
6,587,127 B1	7/2003	Leeke et al.	2001/0025259 A1	9/2001	Rouchon
6,587,850 B2	7/2003	Zhai	2002/0052207 A1	5/2002	Hunzinger
6,609,253 B1	8/2003	Swix et al.	2002/0052674 A1	5/2002	Chang et al.
6,615,208 B1	9/2003	Behrens et al.	2002/0052873 A1	5/2002	Delgado et al.
6,629,104 B1	9/2003	Parulski et al.	2002/0082901 A1	6/2002	Dunning et al.
6,636,836 B1	10/2003	Pyo	2002/0087382 A1	7/2002	Tiburcio
6,654,786 B1	11/2003	Fox et al.	2002/0103796 A1	8/2002	Hartley
6,662,231 B1	12/2003	Drosset et al.	2002/0108112 A1	8/2002	Wallace et al.
6,670,537 B2	12/2003	Hughes et al.	2002/0116533 A1	8/2002	Holliman et al.
6,691,162 B1 *	2/2004	Wick	2002/0138836 A1	9/2002	Zimmerman
6,694,482 B1	2/2004	Arellano et al.	2002/0165793 A1	11/2002	Brand et al.
6,757,517 B2	6/2004	Chang	2002/0178057 A1	11/2002	Bertram et al.
6,757,691 B1	6/2004	Welsh et al.	2002/0194325 A1	12/2002	Chmaytelli et al.
6,801,909 B2	10/2004	Delgado et al.	2002/0194356 A1	12/2002	Chan et al.
6,865,565 B2	3/2005	Rainsberger et al.	2003/0001907 A1 *	1/2003	Bergsten et al.
6,904,264 B1	6/2005	Frantz	2003/0005074 A1	1/2003	Herz et al.
6,912,528 B2	6/2005	Homer	2003/0014407 A1	1/2003	Blatter et al.
6,941,275 B1	9/2005	Swierczek	2003/0018799 A1	1/2003	Eyal
6,941,324 B2	9/2005	Plastina et al.	2003/0046399 A1	3/2003	Boulter et al.
6,947,922 B1	9/2005	Glance	2003/0055516 A1	3/2003	Gang et al.
6,973,475 B2	12/2005	Kenyon et al.	2003/0055657 A1	3/2003	Yoshida et al.
6,976,228 B2 *	12/2005	Bernhardson	2003/0066068 A1	4/2003	Gutta et al.
6,986,136 B2	1/2006	Simpson et al.	2003/0069806 A1	4/2003	Konomi et al.
6,987,221 B2	1/2006	Platt	2003/0084044 A1	5/2003	Simpson et al.
6,990,453 B2	1/2006	Wang et al.	2003/0084086 A1	5/2003	Simpson et al.
7,013,301 B2	3/2006	Holm et al.	2003/0084151 A1	5/2003	Simpson et al.
7,035,871 B2	4/2006	Hunt et al.	2003/0089218 A1	5/2003	Gang et al.
7,047,406 B2	5/2006	Schleicher et al.	2003/0097186 A1	5/2003	Gutta et al.
7,072,846 B1	7/2006	Robinson	2003/0115167 A1	6/2003	Sharif et al.
7,072,886 B2	7/2006	Salmenkaita et al.	2003/0135513 A1	7/2003	Quinn et al.
7,075,000 B2	7/2006	Gang et al.	2003/0137531 A1	7/2003	Katinsky et al.
7,076,553 B2	7/2006	Chan et al.	2003/0149581 A1	8/2003	Chaudhri et al.
7,089,248 B1	8/2006	King et al.	2003/0149612 A1	8/2003	Berghofer et al.
7,096,234 B2	8/2006	Plastina et al.	2003/0153338 A1	8/2003	Herz et al.
7,120,619 B2	10/2006	Drucker et al.	2003/0160770 A1	8/2003	Zimmerman
7,139,757 B1	11/2006	Apollonsky et al.	2003/0191753 A1	10/2003	Hoch
7,145,678 B2	12/2006	Simpson et al.	2003/0225834 A1 *	12/2003	Lee et al.
7,171,174 B2	1/2007	Ellis et al.	2003/0229537 A1	12/2003	Dunning et al.
7,177,872 B2	2/2007	Schwesig et al.	2003/0232614 A1	12/2003	Squibbs
7,219,145 B2	5/2007	Chmaytelli et al.	2003/0236582 A1	12/2003	Zamir et al.
7,222,187 B2	5/2007	Yeager et al.	2003/0237093 A1	12/2003	Marsh
7,240,358 B2	7/2007	Horn et al.	2004/0003392 A1	1/2004	Trajkovic et al.
7,283,992 B2	10/2007	Liu et al.	2004/0019497 A1	1/2004	Volk et al.
7,296,032 B1	11/2007	Beddow	2004/0034441 A1	2/2004	Eaton et al.
7,305,449 B2	12/2007	Simpson et al.	2004/0073919 A1	4/2004	Gutta
7,340,481 B1	3/2008	Baer et al.	2004/0088271 A1	5/2004	Cleckler
7,437,364 B1	10/2008	Fredricksen et al.	2004/0091235 A1	5/2004	Gutta
7,441,041 B2	10/2008	Williams et al.	2004/0107821 A1	6/2004	Alcalde et al.
7,444,339 B2	10/2008	Matsuda et al.	2004/0128286 A1	7/2004	Yasushi et al.
7,463,890 B2	12/2008	Herz et al.	2004/0133657 A1	7/2004	Smith et al.
7,469,283 B2	12/2008	Eyal et al.	2004/0133908 A1	7/2004	Smith et al.
7,496,623 B2	2/2009	Szeto et al.	2004/0133914 A1	7/2004	Smith et al.
7,509,291 B2	3/2009	McBride et al.	2004/0162783 A1	8/2004	Gross
7,512,658 B2	3/2009	Brown et al.	2004/0162830 A1	8/2004	Shirwadkar et al.
7,523,156 B2	4/2009	Giacalone, Jr.	2004/0177116 A1 *	9/2004	McConn et al.
7,548,915 B2	6/2009	Ramer et al.	2004/0181540 A1	9/2004	Jung et al.
7,590,546 B2	9/2009	Chuang	2004/0186733 A1	9/2004	Loomis et al.
7,594,246 B1 *	9/2009	Billmaier et al.	2004/0199527 A1	10/2004	Morain et al.
7,614,006 B2	11/2009	Molander	2004/0215793 A1	10/2004	Ryan et al.
7,623,843 B2	11/2009	Squibbs	2004/0216108 A1	10/2004	Robbin
7,627,644 B2	12/2009	Slack-Smith	2004/0224638 A1	11/2004	Fadell et al.
7,644,166 B2	1/2010	Appelman et al.	2004/0252604 A1	12/2004	Johnson et al.
7,653,654 B1	1/2010	Sundaresan	2004/0254911 A1	12/2004	Grasso et al.
7,676,753 B2	3/2010	Bedingfield	2004/0260778 A1	12/2004	Banister et al.
			2004/0267604 A1	12/2004	Gross

US 8,434,024 B2

Page 3

2005/0020223	A1	1/2005	Ellis et al.	2006/0265409	A1	11/2006	Neumann et al.
2005/0021420	A1	1/2005	Michelitsch et al.	2006/0265503	A1	11/2006	Jones et al.
2005/0021470	A1	1/2005	Martin et al.	2006/0265637	A1	11/2006	Marriott et al.
2005/0021678	A1	1/2005	Simyon et al.	2006/0271959	A1	11/2006	Jacoby et al.
2005/0022239	A1	1/2005	Meuleman	2006/0271961	A1	11/2006	Jacoby et al.
2005/0026559	A1	2/2005	Khedouri	2006/0273155	A1	12/2006	Thackson
2005/0038819	A1	2/2005	Hicken et al.	2006/0277098	A1	12/2006	Chung et al.
2005/0038876	A1	2/2005	Chaudhuri	2006/0282304	A1	12/2006	Bedard et al.
2005/0060264	A1	3/2005	Schrock et al.	2006/0282776	A1	12/2006	Farmer et al.
2005/0060666	A1	3/2005	Hoshino et al.	2006/0282856	A1	12/2006	Errico et al.
2005/0065976	A1	3/2005	Holm et al.	2006/0288041	A1	12/2006	Plastina et al.
2005/0071418	A1	3/2005	Kjellberg et al.	2006/0293909	A1	12/2006	Miyajima et al.
2005/0091107	A1	4/2005	Blum	2007/0005793	A1	1/2007	Miyoshi et al.
2005/0120053	A1	6/2005	Watson	2007/0008927	A1	1/2007	Herz et al.
2005/0125221	A1	6/2005	Brown et al.	2007/0014536	A1	1/2007	Hellman
2005/0125222	A1	6/2005	Brown et al.	2007/0022437	A1	1/2007	Gerken
2005/0131866	A1	6/2005	Badros	2007/0028171	A1	2/2007	MacLaurin
2005/0138198	A1	6/2005	May	2007/0033292	A1	2/2007	Sull et al.
2005/0154608	A1	7/2005	Paulson et al.	2007/0043766	A1	2/2007	Nicholas et al.
2005/0154764	A1	7/2005	Riegler et al.	2007/0044010	A1	2/2007	Sull et al.
2005/0154767	A1	7/2005	Sako	2007/0064626	A1	3/2007	Evans
2005/0158028	A1	7/2005	Koba	2007/0078714	A1	4/2007	Ott et al.
2005/0166245	A1	7/2005	Shin et al.	2007/0078832	A1	4/2007	Ott, IV et al.
2005/0197961	A1	9/2005	Miller et al.	2007/0079352	A1	4/2007	Klein, Jr.
2005/0204309	A1 *	9/2005	Szeto 715/811	2007/0083471	A1	4/2007	Robbin et al.
2005/0228830	A1	10/2005	Plastina et al.	2007/0083553	A1	4/2007	Minor
2005/0246391	A1	11/2005	Gross	2007/0083929	A1	4/2007	Sprosts et al.
2005/0251455	A1	11/2005	Boesen	2007/0094081	A1	4/2007	Yruski et al.
2005/0251807	A1	11/2005	Weel	2007/0094082	A1	4/2007	Yruski et al.
2005/0256756	A1	11/2005	Lam et al.	2007/0094083	A1	4/2007	Yruski et al.
2005/0256866	A1 *	11/2005	Lu et al. 707/5	2007/0094363	A1	4/2007	Yruski et al.
2005/0267944	A1	12/2005	Little, II	2007/0100904	A1	5/2007	Casey et al.
2005/0278377	A1	12/2005	Mirrashidi et al.	2007/0106672	A1	5/2007	Sighart et al.
2005/0278758	A1	12/2005	Bodlaender	2007/0106693	A1	5/2007	Houh et al.
2005/0286546	A1	12/2005	Bassoli et al.	2007/0118425	A1	5/2007	Yruski et al.
2005/0289236	A1	12/2005	Hull et al.	2007/0118657	A1	5/2007	Kreitzer et al.
2006/0004640	A1	1/2006	Swierczek	2007/0118802	A1	5/2007	Gerace et al.
2006/0004704	A1	1/2006	Gross	2007/0118853	A1	5/2007	Kreitzer et al.
2006/0008256	A1	1/2006	Khedouri et al.	2007/0118873	A1	5/2007	Houh et al.
2006/0010167	A1	1/2006	Grace et al.	2007/0130008	A1	6/2007	Brown et al.
2006/0015378	A1	1/2006	Mirrashidi et al.	2007/0130012	A1	6/2007	Yruski et al.
2006/0020662	A1	1/2006	Robinson	2007/0152502	A1	7/2007	Kinsey et al.
2006/0026048	A1	2/2006	Kolawa et al.	2007/0162502	A1	7/2007	Thomas et al.
2006/0031510	A1 *	2/2006	Beck et al. 709/226	2007/0169148	A1	7/2007	Oddo et al.
2006/0048059	A1	3/2006	Etkin	2007/0195373	A1	8/2007	Singh
2006/0053080	A1	3/2006	Edmonson et al.	2007/0198485	A1	8/2007	Ramer et al.
2006/0053279	A1 *	3/2006	Coueignoux 713/154	2007/0199014	A1	8/2007	Clark et al.
2006/0064716	A1	3/2006	Sull et al.	2007/0214182	A1	9/2007	Rosenberg
2006/0074750	A1	4/2006	Clark et al.	2007/0214259	A1	9/2007	Ahmed et al.
2006/0083119	A1	4/2006	Hayes	2007/0220081	A1	9/2007	Hyman
2006/0085383	A1	4/2006	Mantle et al.	2007/0233736	A1	10/2007	Xiong et al.
2006/0100924	A1	5/2006	Tevanian, Jr.	2007/0238427	A1	10/2007	Kraft et al.
2006/0126135	A1	6/2006	Stevens et al.	2007/0239724	A1	10/2007	Ramer et al.
2006/0130120	A1	6/2006	Brandyberry et al.	2007/0244880	A1	10/2007	Martin et al.
2006/0143236	A1	6/2006	Wu	2007/0245245	A1	10/2007	Blue et al.
2006/0156242	A1	7/2006	Bedingfield	2007/0264982	A1	11/2007	Nguyen et al.
2006/0167991	A1	7/2006	Heikes et al.	2007/0265870	A1	11/2007	Song et al.
2006/0173910	A1	8/2006	McLaughlin	2007/0269169	A1	11/2007	Stix et al.
2006/0174277	A1	8/2006	Sezan et al.	2007/0277202	A1	11/2007	Lin et al.
2006/0190616	A1	8/2006	Mayerhofer et al.	2007/0282949	A1	12/2007	Fischer et al.
2006/0195479	A1	8/2006	Spiegelman et al.	2007/0288546	A1	12/2007	Rosenberg
2006/0195512	A1	8/2006	Rogers et al.	2007/0299873	A1	12/2007	Jones et al.
2006/0195513	A1	8/2006	Rogers et al.	2007/0299874	A1	12/2007	Neumann et al.
2006/0195514	A1	8/2006	Rogers et al.	2007/0299978	A1	12/2007	Neumann et al.
2006/0195515	A1	8/2006	Beaupre et al.	2008/0005179	A1	1/2008	Friedman et al.
2006/0195516	A1	8/2006	Beaupre	2008/0010372	A1	1/2008	Khedouri et al.
2006/0195521	A1	8/2006	New et al.	2008/0016098	A1	1/2008	Frieden et al.
2006/0195789	A1	8/2006	Rogers et al.	2008/0016205	A1	1/2008	Svendsen
2006/0195790	A1	8/2006	Beaupre et al.	2008/0032723	A1	2/2008	Rosenberg
2006/0200435	A1	9/2006	Flinn et al.	2008/0033959	A1	2/2008	Jones
2006/0206582	A1	9/2006	Finn	2008/0040313	A1	2/2008	Schachter
2006/0218187	A1	9/2006	Plastina et al.	2008/0046948	A1	2/2008	Verosub
2006/0224757	A1	10/2006	Fang et al.	2008/0052371	A1	2/2008	Partovi et al.
2006/0227673	A1	10/2006	Yamashita et al.	2008/0052380	A1	2/2008	Morita et al.
2006/0242201	A1	10/2006	Cobb et al.	2008/0052630	A1	2/2008	Rosenbaum et al.
2006/0247980	A1	11/2006	Mirrashidi et al.	2008/0059422	A1	3/2008	Tenni et al.
2006/0248209	A1	11/2006	Chiu et al.	2008/0059576	A1	3/2008	Liu et al.
2006/0253417	A1	11/2006	Brownrigg et al.	2008/0085769	A1	4/2008	Lutnick et al.
2006/0259355	A1	11/2006	Farouki et al.	2008/0091771	A1	4/2008	Allen et al.

2008/0120501 A1 5/2008 Jannink et al.
 2008/0133601 A1 6/2008 Martin Cervera et al.
 2008/0133763 A1 6/2008 Clark et al.
 2008/0134039 A1 6/2008 Fischer et al.
 2008/0134043 A1 6/2008 Georgis et al.
 2008/0134053 A1 6/2008 Fischer
 2008/0141136 A1 6/2008 Ozzie et al.
 2008/0147482 A1 6/2008 Messing et al.
 2008/0147711 A1 6/2008 Spiegelman et al.
 2008/0147876 A1 6/2008 Campbell et al.
 2008/0160983 A1 7/2008 Poplett et al.
 2008/0176562 A1 7/2008 Howard
 2008/0181536 A1 7/2008 Linden
 2008/0189336 A1 8/2008 Prihodko
 2008/0189391 A1 8/2008 Koberstein et al.
 2008/0189655 A1 8/2008 Kol et al.
 2008/0195657 A1 8/2008 Naaman et al.
 2008/0195664 A1 8/2008 Maharajh et al.
 2008/0208823 A1 8/2008 Hicken
 2008/0209013 A1 8/2008 Weel
 2008/0228945 A1 9/2008 Yoon et al.
 2008/0235632 A1 9/2008 Holmes
 2008/0242221 A1 10/2008 Shapiro et al.
 2008/0242280 A1 10/2008 Shapiro et al.
 2008/0243733 A1 10/2008 Black
 2008/0244681 A1 10/2008 Gossweiler et al.
 2008/0250067 A1 10/2008 Svendsen
 2008/0250312 A1 10/2008 Curtis
 2008/0270561 A1 10/2008 Tang et al.
 2008/0276279 A1 11/2008 Gossweiler et al.
 2008/0288588 A1 11/2008 Andam et al.
 2008/0301118 A1 12/2008 Chien et al.
 2008/0301186 A1 12/2008 Svendsen
 2008/0301187 A1 12/2008 Svendsen
 2008/0301240 A1 12/2008 Svendsen
 2008/0301241 A1 12/2008 Svendsen
 2008/0306826 A1 12/2008 Kramer et al.
 2008/0307462 A1 12/2008 Beetcher et al.
 2008/0307463 A1 12/2008 Beetcher et al.
 2008/0313541 A1 12/2008 Shaffon et al.
 2008/0319833 A1 12/2008 Svendsen
 2009/0006368 A1 1/2009 Mei et al.
 2009/0006374 A1 1/2009 Kim et al.
 2009/0007198 A1 1/2009 Lavender et al.
 2009/0013347 A1 1/2009 Ahanger et al.
 2009/0042545 A1 2/2009 Avital et al.
 2009/0046101 A1 2/2009 Askey et al.
 2009/0048992 A1 2/2009 Svendsen et al.
 2009/0049030 A1 2/2009 Svendsen et al.
 2009/0049045 A1 2/2009 Askey et al.
 2009/0055385 A1 2/2009 Jeon et al.
 2009/0055396 A1 2/2009 Svendsen et al.
 2009/0055467 A1 2/2009 Petersen
 2009/0055759 A1 2/2009 Svendsen
 2009/0069911 A1 3/2009 Stefik
 2009/0069912 A1 3/2009 Stefik
 2009/0070184 A1 3/2009 Svendsen
 2009/0070350 A1 3/2009 Wang
 2009/0076881 A1 3/2009 Svendsen
 2009/0077041 A1 3/2009 Eyal et al.
 2009/0077052 A1 3/2009 Farrelly
 2009/0077124 A1 3/2009 Spivack et al.
 2009/0077220 A1 3/2009 Svendsen et al.
 2009/0083116 A1 3/2009 Svendsen
 2009/0083117 A1 3/2009 Svendsen et al.
 2009/0083362 A1 3/2009 Svendsen
 2009/0083541 A1 3/2009 Levine
 2009/0089288 A1 4/2009 Petersen
 2009/0093300 A1 4/2009 Lutnick et al.
 2009/0094248 A1 4/2009 Petersen
 2009/0119294 A1 5/2009 Purdy et al.
 2009/0125588 A1 5/2009 Black et al.
 2009/0129671 A1 5/2009 Hu et al.
 2009/0132527 A1 5/2009 Sheshagiri et al.
 2009/0157795 A1 6/2009 Black
 2009/0164199 A1 6/2009 Amidon et al.
 2009/0164429 A1 6/2009 Svendsen et al.
 2009/0164514 A1 6/2009 Svendsen et al.
 2009/0164516 A1 6/2009 Svendsen et al.

2009/0164641 A1 6/2009 Rogers et al.
 2009/0177301 A1 7/2009 Hayes
 2009/0259621 A1 10/2009 Svendsen et al.
 2010/0031366 A1 2/2010 Knight et al.
 2010/0185732 A1 7/2010 Hyman
 2010/0198767 A1 8/2010 Farrelly
 2010/0199218 A1 8/2010 Farrelly et al.
 2011/0016483 A1 1/2011 Opdycke
 2011/0034121 A1 2/2011 Ng et al.

FOREIGN PATENT DOCUMENTS

EP 1536352 A1 6/2005
 EP 1835455 A1 9/2007
 GB 2372850 A 9/2002
 GB 2397205 A 7/2004
 JP 2005-321668 11/2005
 WO 01/84353 A3 11/2001
 WO 02/21335 A1 3/2002
 WO 2004/017178 A2 2/2004
 WO 2004/043064 A1 5/2004
 WO 2005/026916 A2 3/2005
 WO 2005/071571 A1 8/2005
 WO 2006/075032 A1 7/2006
 WO 2006/126135 A2 11/2006
 WO 2007092053 A1 8/2007

OTHER PUBLICATIONS

“Instant Messenger—AIM—Instant Message Your Online Buddies for Free—AIM,” <http://dashboard.aim.com/aim>, copyright 2007 AOL LLC, printed Nov. 8, 2007, 6 pages.
 “Outlook Home page—Microsoft Office Online,” <http://office.microsoft.com/en-us/outlook/default.aspx>, copyright 2007 Microsoft Corporation, printed Nov. 8, 2007, 1 page.
 “Thunderbird—Reclaim your inbox,” <http://www.mozilla.com/en-US/thunderbird/>, copyright 2005-2007 Mozilla, printed Nov. 8, 2007, 2 pages.
 “RYM FAQ—Rate Your Music,” <http://rateyourmusic.com/faq/>, copyright 2000-2007 rateyourmusic.com, printed Nov. 8, 2007, 14 pages.
 “Trillian (software)—Wikipedia, the free encyclopedia,” [http://en.wikipedia.org/wiki/Trillian_\(instant_messenger\)](http://en.wikipedia.org/wiki/Trillian_(instant_messenger)), printed Nov. 8, 2007, 11 pages.
 “Not safe for work—Wikipedia, the free encyclopedia,” http://en.wikipedia.org/wiki/Work_safe, printed Nov. 8, 2007, 2 pages.
 “Zune.net—How-To—Share Audio Files Zune to Zune,” <http://web.archive.org/web/20070819121705/http://www.zune.net/en-us/support/howto/z...>, copyright 2007 Microsoft Corporation, printed Nov. 14, 2007, 2 pages.
 “LAUNCHcast Radio—Yahoo! Messenger,” <http://messenger.yahoo.com/launch.php>, copyright 2007 Yahoo! Inc., printed Nov. 8, 2007, 1 page.
 “Goombah—Preview,” <http://www.goombah.com/preview.html>, printed Jan. 8, 2008, 5 pages.
 “Apple—iPod classic,” <http://www.apple.com/ipodclassic/>, printed Oct. 26, 2007, 1 page.
 “IEEE 802.11—Wikipedia, the free encyclopedia,” http://en.wikipedia.org/wiki/IEEE_802.11, printed Oct. 26, 2007, 5 pages.
 “Bluetooth.com—Learn,” <http://www.bluetooth.com/Bluetooth/Learn/>, copyright 2007 Bluetooth SIG, Inc., printed Oct. 26, 2007, 1 page.
 “How many songs are in your iTunes Music library (or libraries in total, if you use more than one)?,” <http://www.macoshints.com/polls/index.php?pid=itunesmusiccount>, printed Feb. 24, 2010, copyright 2010 Mac Publishing LLC, 10 pages.
 “Identifying iPod models,” <http://support.apple.com/kb/HT1353>, printed Feb. 24, 2010, 13 pages.
 Mitchell, Bradley, “Cable Speed—How Fast is Cable Modem Internet?,” <http://www.compnetworking.about.com/od/intemetaccessbestuses/f/cablespeed.htm>, printed Feb. 24, 2010, 2 pages.
 “What is the size of your physical and digital music collection?,” <http://www.musicbanter.com/general-music/47403-what-size-your-physical-digital-music-collection-12.html>, printed Feb. 24, 2010, copyright 2010 Advameg, Inc., 6 pages.

- "Hulu—About," www.hulu.com/about/product_tour, copyright 2010 Hulu LLC, printed Jun. 15, 2010, 2 pages.
- Nilson, Martin, "id3v2.4.0-frames—ID3.org," <http://www.id3.org/id3v2.4.0-frames>, Nov. 1, 2000, copyright 1998-2009, printed Jun. 15, 2010, 31 pages.
- "Songbird," <http://getsongbird.com/>, copyright 2010 Songbird, printed Jun. 15, 2010, 2 pages.
- "SongReference," <http://songreference.com/>, copyright 2008, SongReference.com, printed Jun. 15, 2010, 1 page.
- "Gracenote Playlist Plus" Product Overview, from www.gracenote.com, Dec. 29, 2005, 2 pages.
- Cai, Rui et al., "Scalable Music Recommendation by Search," Proc. ACM Multimedia, Augsburg, Germany, Sep. 2007, pp. 1065-1074.
- "Gracenote Playlist," Revised Dec. 29, 2005, copyright 2005 Gracenote, 2 pages.
- "MyStrands Download," <http://www.mystrands.com/overview.vm>, copyright 2003-2007 MediaStrands, Inc., printed Feb. 7, 2007, 3 pages.
- "Take a look at the Future of Mobile Music :: MUSIC GURU," http://www.symbian-freak.com/news/006/02/music_guru.htm, Feb. 23, 2006, copyright 2005 Symbian freak, printed Feb. 7, 2007, 3 pages.
- "MyStrands for Windows 0.7.3 Beta" downloaded from Internet <<http://www.shareapple.com/172-MyStrandsWindowsPAD.htm>> on Jul. 18, 2007.
- "MyStrands for Windows Change Log" downloaded from Internet <<http://www.mystrands.com/mystrands/windows/changelog.vm>>.
- "Last.fm—Wikipedia, the free encyclopedia," <http://en.wikipedia.org/wiki/Last.fm>, last modified on Aug. 8, 2006, printed Aug. 8, 2006, 7 pages.
- "Mercora—Music Search and Internet Radio Network," www.mercora.com/overview.asp, copyright 2004-2006 Mercora, Inc., printed Aug. 8, 2006, 1 page.
- "Last.fm—The Social Music Revolution," <http://www.last.fm/>, printed Feb. 7, 2007, 2 pages.
- "MyStrands for Windows," <http://www.mystrands.com/overview.vm>, copyright 2003-2007 MediaStrands, Inc., printed Feb. 7, 2007, 3 pages.
- Linder, Brad, "Muziic media player streams audio from YouTube—for now—Download Squad," <http://www.downloadsquad.com/2009/03/09/muziic-media-player-streams-audio-from-you> . . . , Mar. 9, 2009, copyright 2003-2009 Weblogs, Inc., printed Jun. 14, 2010, 2 pages.
- "uPlayMe.com Meet People, Music Sharing—About Us," <http://www.uplayme.com/about.php>, copyright 2008 uPlayMe, Inc., printed Mar. 26, 2009, 4 pages.
- "uPlayMe.com Meet People, Music Sharin—Home," <http://www.uplayme.com/>, copyright 2008 uPlayMe, Inc., printed Mar. 26, 2009, 1 page.
- Wang, Jun et al., "Music Recommender System for Wi-Fi Walkman," Delft University of Technology, date unknown, 23 pages.
- Barrie-Anthony, Steven, "That song sounds familiar," Los Angeles Times, Feb. 3, 2006, available from <http://www.calendarlive.com/printedition/calendar/cl-et-pandora3feb03.0.7458778.story?track=totext,0,19432.story?track=tohtml>, 5 pages.
- Kosugi, Naoko et al., "A Practical Query-By-Humming System for a Large Music Database," Oct. 2000, International Multimedia Conference, Proceedings of the 8th ACM International Conference on Multimedia, copyright 2000 ACM, pp. 333-342.
- Yahoo! Music Archive for Jun. 20, 2005, 14 pages.
- Huang, Yao-Chang et al., "An Audio Recommendation System Based on Audio Signature Description Scheme in MPEG-7 Audio," IEEE International Conference on Multimedia and Expo (ICME), copyright 2004 IEEE, pp. 639-642.
- "ChoiceStream Technology Brief, Review of Personalization Technologies: Collaborative Filtering vs. ChoiceStream's Attributized Bayesian Choice Modeling," date unknown, 13 pages.
- Golbeck, Jennifer, "Trust and Nuanced Profile Similarity in Online Social Networks," available from <http://www.cs.umd.edu/~golbeck/publications.shtml>, 2008, 30 pages.
- Mascia, Jeff et al., "Lifetrak: Music In Tune With Your Life," copyright 2006, 11 pages.
- "Mongomusic.com—The Best Download mp3 Resource and Information. This website is for sale!," <http://www.mongomusic.com/>, printed May 17, 2007, 2 pages.
- "UpTo11.net—Music Recommendations and Search," <http://www.upto11.net/>, copyright 2005-2006 Upto11.net, printed Feb. 7, 2007, 1 page.
- "MUSICSTRANDS.COM Because Music is Social," copyright 2006 MusicStrands, Inc., 2 pages.
- "Babulous :: Keep it loud," <http://www.babulous.com/home.html>, copyright 2009 Babulous, Inc., printed Mar. 26, 2009, 2 pages.
- "MixxMaker: The Mix Tape Goes Online—AppScout," http://www.appscout.com/2008/01/mixxmaker_the_mixtape_goes_onl_1.php, copyright 1996-2009 Ziff Davis Publishing Holdings Inc., printed Aug. 3, 2009, 3 pages.
- "Tour's Profile," <http://mog.com/Tour>, copyright 2006-2009 Mog Inc., printed Aug. 3, 2009, 11 pages.
- "Ringo: Social Information Filtering for Music Recommendation," <http://jolomo.net/ringo.html>, printed Aug. 3, 2009, 1 page.
- Yahoo! Music downloaded archival page from www.archive.org for Jun. 20, 2005, copyright 2005 Yahoo! Inc., 14 pages.
- "Amazon.com: Online Shopping for Electronics, Apparel, Computers, Books, DVDs & m . . .," <http://www.amazon.com/>, copyright 1996-2007 Amazon.com, Inc., printed Oct. 26, 2007, 4 pages.
- "betterPropaganda—Free MP3s and music videos.," <http://www.betterpropaganda.com/>, copyright 2004-2005 betterPropaganda, printed Feb. 7, 2007, 4 pages.
- "Billboard.biz—Music Business—Billboard Charts—Album Sales—Concert Tours," <http://www.billboard.biz/bbbiz/index.jsp>, copyright 2007 Nielsen Business Media, Inc., printed Oct. 26, 2007, 3 pages.
- "The Classic TV Database—Your Home for Classic TV!—www.classic-tv.com," <http://www.classic-tv.com>, copyright The Classic TV Database—www.classic-tv.com, printed Feb. 7, 2007, 3 pages.
- "Digital Tech Life >> Download of the Week," <http://www.digitaltechlife.com/category/download-of-the-week/>, printed Feb. 16, 2007, 9 pages.
- "MP3 music download website, eMusic," <http://www.emusic.com/>, copyright 2007 eMusic.com Inc., printed Feb. 7, 2007, 1 page.
- "GenieLab: Music Recommendation System," <http://web.archive.org/web/20060813000442/http://genielab.com/>, copyright 2005 GenieLab, LLC printed Oct. 26, 2007, 1 page.
- "The Daily Barometer—GenieLab.com grants music lovers' wishes," <http://media.barometer.orst.edu/home/index.cfm?event=displayArticlePrinterFriendly&uSt> . . . , copyright 2007 The Daily Barometer, printed Feb. 16, 2007, 2 pages.
- "Gracenote," <http://www.gracenote.com>, printed Feb. 7, 2007, 1 page.
- "iLikeTM—Home," <http://www.ilike.com/>, copyright 2007 iLike, printed May 17, 2007, 2 pages.
- "The Internet Movie Database (IMDb)," <http://www.imdb.com/>, copyright 1990-2007 Internet Movie Database Inc., printed Feb. 7, 2007, 3 pages.
- "Apple — iPod + iTunes," <http://www.apple.com/itunes/>, copyright 2007 Paramount Pictures, printed Feb. 7, 2007, 2 pages.
- "LimeWire—Wikipedia, the free encyclopedia," <http://en.wikipedia.org/wiki/LimeWire>, printed Aug. 8, 2006, 2 pages.
- "liveplasma music, movies, search engine and discovery engine," <http://www.liveplasma.com>, printed May 17, 2007, 1 page.
- "Loomia—Personalized Recommendations For Media, Content and Retail Sites," <http://www.loomia.com/>, copyright 2006-2007 Loomia Inc., printed Feb. 7, 2007, 2 pages.
- "Mercora—Music Search and Internet Radio Network," http://www.mercora.com/v6/_front/web.jsp, printed Feb. 7, 2007, 1 page.
- "Welcome to the MUSICMATCH Guide," <http://www.mmguide.musicmatch.com/>, copyright 2001-2004 Musicmatch, Inc., printed Feb. 7, 2007, 1 page.
- "Music Recommendations 1.0—MacUpdate," <http://www.macupdate.com/info.php/id/19575>, printed Feb. 16, 2007, 1 page.
- "MusicGremlin," <http://www.musicgremlin.com/StaticContent.aspx?id=3>, copyright 2005, 2006, 2007 MusicGremlin, Inc., printed Oct. 26, 2007, 1 page.

“MusicIP—The Music Search Engine,” <http://www.musicip.com/>, copyright 2006-2007 MusicIP Corporation, printed Feb. 7, 2007, 1 page.

“Digital Music News,” <http://www.digitalmusicnews.com/results?title=musicstrands>, copyright 2003-6 Digital Music News, printed Aug. 8, 2006, 5 pages.

“MyStrands for Windows 0.7.3 Beta,” copyright 2002-2006 ShareApple.com networks, printed Jul. 16, 2007, 3 pages.

“MyStrands for Windows Change Log,” <http://www.mystrands.com/mystrands/windows/changelog.vm>, printed Jul. 16, 2007, 6 pages.

“Napster—All the Music You Want,” http://www.napster.com/using_napster/all_the_music_you_want.html, copyright 2003-2006 Napster, LLC, printed Feb. 7, 2007, 2 pages.

“Try Napster free for 7 Days—Play and download music without paying per song,” <http://www.napster.com/choose/index.html>, copyright 2003-2007 Napster, LLC, printed Feb. 7, 2007, 1 page.

“FAQ,” <http://blog.pandora.com/faq/>, copyright 2005-2006 Pandora Media, Inc., printed Aug. 8, 2006, 20 pages.

“Pandora Internet Radio—Find New Music, Listen to Free Web Radio,” <http://www.pandora.com/>, copyright 2005-2007 Pandora Media, Inc., printed Feb. 7, 2007, 1 page.

“Pandora Radio—Listen to Free Internet Radio, Find New Music,” <http://www.pandora.com/mgp>, copyright 2005-2007 Pandora Media, Inc., printed Oct. 26, 2007, 1 page.

“Rhapsody—Full-length music, videos and more—Free,” <http://www.rhapsody.com/welcome.html>, copyright 2001-2007 Listen.com, printed Feb. 7, 2007, 1 page.

Badrul M. Sarwar et al., “Recommender Systems for Large-scale E-Commerce: Scalable Neighborhood Formation Using Clustering,” 2002, 6 pages.

“Soundflavor,” <http://www.soundflavor.com/>, copyright 2003-2007 Soundflavor, Inc., printed Feb. 7, 2007, 1 page.

“that canadian girl >> Blog Archive >> GenieLab,” <http://www.thatcanadiangirl.co.uk/blog/2005/02/22/genielab/>, copyright 2007 Vero Pepperrell, printed Feb. 16, 2007, 3 pages.

“Webjay—Playlist Community,” <http://www.webjay.org/>, copyright 2006 Yahoo! Inc., printed Feb. 7, 2007, 5 pages.

“Wired News,” <http://www.wired.com/news/digiwoo/1,57634-0.html>, copyright 2005 Lycos, Inc., printed Oct. 9, 2006, 3 pages.

“Yahoo! Messenger—Chat, Instant message, SMS, PC Calls and More,” <http://messenger.yahoo.com/webmessengerpromo.php>, copyright 2007 Yahoo! Inc., printed Oct. 26, 2007, 1 page.

“Yahoo Music Jukebox—Wikipedia, the free encyclopedia,” http://en.wikipedia.org/wiki/Yahoo_music_engine, printed Aug. 8, 2006, 1 page.

“Music Downloads—Over 2 Million Songs—Try It Free—Yahoo! Music,” <http://music.yahoo.com/ymu/default.asp>, copyright 2006 Yahoo! Inc., printed Feb. 7, 2007, 1 page.

“MyStrands Labs: Patent-pending Technologies,” at <<http://labs.mystrands.com/patents.html>>, printed Feb. 7, 2007, 5 pages.

Wang, J. et al., “Wi-Fi Walkman: A wireless handheld that shares and recommend music on peer-to-peer networks,” in Proceedings of Embedded Processors for Multimedia and Communications II, part of the IS&T/SPIE Symposium on Electronic Imaging 2005, Jan. 16-20, 2005, San Jose, California, Proceedings published Mar. 8, 2005, found at <<http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.108.3459&rep=rep1&type=pdf>>, 10 pages.

* cited by examiner





FIG. 1

**FIG. 2**

		ATTRIBUTE							
		A	B	C	D	E	F	G	H
ATTRIBUTE	A	0	D _{AB}	D _{AC}	D _{AD}	D _{AE}	D _{AF}	D _{AG}	D _{AH}
	B	D _{BA}	0	D _{BC}	D _{BD}	D _{BE}	D _{BF}	D _{BG}	D _{BH}
	C	D _{CA}	D _{CB}	0	D _{CD}	D _{CE}	D _{CF}	D _{CG}	D _{CH}
	D	D _{DA}	D _{DB}	D _{DC}	0	D _{DE}	D _{DF}	D _{DG}	D _{DH}
	E	D _{EA}	D _{EB}	D _{EC}	D _{ED}	0	D _{EF}	D _{EG}	D _{EH}
	F	D _{FA}	D _{FB}	D _{FC}	D _{FD}	D _{FE}	0	D _{FG}	D _{FH}
	G	D _{GA}	D _{GB}	D _{GC}	D _{GD}	D _{GE}	D _{GF}	0	D _{GH}
	H	D _{HA}	D _{HB}	D _{HC}	D _{HD}	D _{HE}	D _{HF}	D _{HG}	0

D=DISTANCE

FIG. 3





FIG. 4

**FIG. 5A**




FIG. 5B







FIG. 6



**FIG. 8**

**FIG. 9**

1

SYSTEM AND METHOD FOR AUTOMATICALLY AND GRAPHICALLY ASSOCIATING PROGRAMMATICALLY-GENERATED MEDIA ITEM RECOMMENDATIONS RELATED TO A USER'S SOCIALLY RECOMMENDED MEDIA ITEMS

RELATED APPLICATIONS

This application is a continuation of U.S. patent application Ser. No. 11/696,849, filed Apr. 5, 2007, entitled SYSTEM AND METHOD FOR AUTOMATICALLY AND GRAPHICALLY ASSOCIATING PROGRAMMATICALLY-GENERATED MEDIA ITEM RECOMMENDATIONS RELATED TO A USER'S SOCIALLY RECOMMENDED MEDIA ITEMS, the disclosure of which is hereby incorporated herein by reference in its entirety.

FIELD OF THE DISCLOSURE

The present disclosure relates to a system and method for automatically and graphically associating programmatically-generated media item recommendations on a user interface based on media items selected from a user's social or "friend" media item recommendation list.

BACKGROUND

In recent years, there has been an enormous increase in the amount of digital media available online. Services, such as Apple's iTunes® for example, enable users to legally purchase and download music. Other services, such as Yahoo!® Music Unlimited and RealNetwork's Rhapsody® for example, provide access to millions of songs for a monthly subscription fee. YouTube® provides users access to video media. As a result, media items have become much more accessible to consumers worldwide. However, the increased accessibility of media has only heightened a long-standing problem for the media industry, which is namely the issue of linking users with media that matches their preferences.

Many companies, technologies, and approaches have emerged to address this issue of media recommendation. Media item recommendations may be provided to users as suggestions based on information about the user and/or their media likes or dislikes, also called preferences. In this manner, the user is more likely to respond, such as by purchase, to media item recommendations. Media item recommendations may be provided either by service provider companies, or "socially" by the user's online "friends" (typically identified by user id).

In the case of socially or friend recommended media items, the user typically receives the recommended media items through a client application executing on the user's personal computer or other networked device. The networked device communicates with other networked devices to receive the friend recommendations. When the friend recommendations are received, the user can display the recommendations on a graphical user interface (GUI). The friend recommendations are typically presented to the user in the form of a media item table having a plurality of columns, wherein title or other identifying information about the user's media items is graphically presented. The media item table may contain all of the user's media collection, including recommended items and non-recommended media items. Recommended media items may be signified by the user id or name of "friend" or user that recommended the media item to the user.

2

It may also be desirable to provide company recommended media items to a user in addition to friend recommendations. Company media item recommendations are typically programmatically provided, meaning they are provided based on a programmed methodology, algorithm, or other scheme. For example, company provided media item recommendations may be provided based on a holistic classification of assigning ratings to attributes of the user's media collection. Alternatively, company media item recommendations may be based on a communal approach, wherein recommendations are based on the collective wisdom of a group of users with similar tastes by profiling the habits of a particular user and then searching similar profiles of other users. In either case, company or programmatically-generated media item recommendations allow the user to be presented with additional recommendations for a greater variety of media options relevant to the user. Companies also benefit in that they may obtain additional opportunities for revenues generated if the user desires to purchase a company recommended media item.

The user's client application typically intermingles friend and programmatically-generated media item recommendations into the user's media collection. The user may desire to separately distinguish friend media item recommendations from programmatically-generated media item recommendations for ease in browsing and/or selection. However, if friend media item recommendations are isolated, the user may lose the benefit of being presented and browsing highly related programmatically-generated media item recommendations.

A tradeoff may exist. Either the user is presented all media item recommendations, both friend and programmatically-generated, for browsing and/or selection. Or, the user chooses to only browse one set of media item recommendations thereby losing visual access to the other. The present disclosure addresses this tradeoff by allowing the user to select a media item from among a list of friend media item recommendations while at the same time automatically and associatively being presented a separate list of related, programmatically-generated media item recommendations to the selected media item. In this manner, the user can browse and select friend media item recommendations while at the same time being presented with automatically updated, programmatically-generated related media item recommendations.

SUMMARY

The present disclosure is a system and method for automatically and programmatically generating media item recommendations for visual display on a graphical user interface (GUI) based on a user-selected friend media item recommendation. The GUI allows a user to browse through a stream or list of friend media item recommendations, with the most recent media selection by the user being placed in a highlighted focus area on the GUI. The friend media item recommendation list is visually displayed adjacent the focus area by order of relation or likeness to the selected media item recommendation in the focus area on the GUI. A separate stream or list of programmatically-generated media item recommendations is automatically generated and visually displayed adjacent the focus area also by order of relation or likeness to the selected media item recommendation in the focus area on the GUI. In this manner, the user can browse friend media item recommendations, while at the same time being automatically presented with updated and programmatically-generated media item recommendations most closely related to the selected media item recommendation in the focus area of the GUI. This allows the user to easily and visually identify,

3

browse, and/or select the most related or closest in likeness, but alternative media item selections to the selected media item recommendation in the focus area of the GUI at anytime.

In a main exemplary embodiment of the present disclosure, friend media item recommendations are displayed in a series of media item icons in a friend media item recommendation list visually displayed in a horizontal axis on each side of the selected media item in the focus area of the GUI. The friend media item recommendations most closely related by likeness to the selected media item are displayed in icons immediately proximate on both sides of the focus area. The less closely related friend media item recommendations are displayed in icons farther away and in descending relational order from the selected media item in the focus area in the horizontal axis. In this manner, the user may traverse the icons in the friend media item recommendation list in order of relevance to the selected media item in the focus area in a first axis.

As the user horizontally traverses the friend media item recommendation list and selects icons representing different media item recommendations to be displayed in the focus area, a programmatically-generated media item recommendation list is automatically generated. The programmatically-generated media item recommendation list is a stream of icons visually located and displayed in a vertical axis intersecting the focus area on the GUI. Like the friend media item recommendation list, the most closely related media items by likeness to the user-selected media item, among the programmatically-generated media item recommendation list, are displayed in icons immediately proximate on the top and bottom sides of the focus area. The less closely related programmatically-generated media item recommendations are displayed in icons farther away in descending relational order from the highlighted area in the vertical axis.

In this manner, the user is automatically and visually provided with additional programmatically-generated media item recommendations related to friend media item recommendations selected for the focus area in an opposing axis. The user can, at any time, easily switch from one axis to the other, to traverse between the friend media item recommendation list and the programmatically-generated media item recommendation list, wherein each traverse provides the next most relevant media item recommendation in its list to the currently selected media item in the focus area.

The user can also simply place or roll their mouse over a particular media item of interest in either list on the GUI. Additional information about the media item is exposed in a separate window on the GUI as a result to allow the user to easily consider the potential selection. If the user clicks the mouse when the cursor is on top of a media item selection not in the focus area, the media item selected will be moved to the focus area. The other media items in the lists are shifted. Optionally, the friend recommendation media item list may be reordered based on a determined closest or likeness relationship of the selected programmatically-generated media item to the media items among the friend media item recommendations.

Any relational model, including a relational or likeness scoring model, may be employed by the present disclosure to determine the most closely related or most alike friend media item recommendations and the programmatically-generated media item recommendations to the selected media item recommendation in the focus area. A model may be used to rank the lists by likeness, where the media item recommendations located immediately adjacent the focus area were determined to be most like the selected media item recommendation. Likeness or lack thereof can also be measured in terms of

4

distance. The friend media item recommendations may be relationally determined or scored to determine their relational order to the selected media item recommendation when displayed on the GUI in a friend media item recommendation list. The relational scoring may also be based in part on the user's preferences, which may be configured by the user using a client application to provide preferences for weightings for attributes that go to determining relation or likeness. This client application may also control displaying and updating the recommendation lists on the GUI.

Those skilled in the art will appreciate the scope of the present disclosure and realize additional aspects thereof after reading the following detailed description of the preferred embodiments in association with the accompanying drawing figures.

BRIEF DESCRIPTION OF THE DRAWING FIGURES

The accompanying drawing figures incorporated in and forming a part of this specification illustrate several aspects of the disclosure, and together with the description serve to explain the principles of the disclosure.

FIG. 1 illustrates a graphical user interface (GUI) providing a user selected media item in a focus area and providing related friend and programmatically-generated media item recommendation lists in different axes intersecting with the focus area;

FIG. 2 is a flow chart illustrating the basic operation of one embodiment of the present disclosure for providing and displaying friend and programmatically-generated media item recommendations in opposing axes on a GUI, and automatically updating the selected media item and the associated, and related according to likeness, recommendations displayed on the GUI when a new media item selection is made by the user;

FIG. 3 is a chart illustrating one embodiment of how a likeness distance rating or score may be determined to control the relational order of friend and programmatically-generated media item recommendation lists displayed on the GUI;

FIG. 4 illustrates an example of a media client application executing on a user's device for displaying a user's media collection including stored media item recommendations that may be used to provide the recommendation lists on the GUI;

FIGS. 5A and 5B are flowcharts illustrating a more detailed operation of one embodiment of the present disclosure for providing and displaying a selected media item recommendation and related friend and programmatically-generated media item recommendations in opposing axes on a GUI, and automatically updating the selected media item and the associated, and related according to likeness, recommendation list displayed on the user interface when a new media item selection is made by a user;

FIG. 6 illustrates a user-server system for providing and receiving friend media item recommendations, for determining and receiving programmatically-generated media item recommendations, and for displaying related recommendations on a GUI to a user;

FIG. 7 is an exemplary communication flow diagram between user devices and a server illustrated in FIG. 6 for receiving friend media item recommendations to determine and automatically provide programmatically-generated media item recommendations for displaying to a user on a GUI in accordance with the present disclosure;

FIG. 8 is a flowchart illustrating one embodiment of a relational or distance scoring model, wherein a user's preferences are used to influence attributes used in the relational scoring model; and

5

FIG. 9 illustrates an exemplary GUI for assigning weights to various categories of media items as part of configuring the user preferences to influence the relational scoring model.

DETAILED DESCRIPTION

The embodiments set forth below represent the necessary information to enable those skilled in the art to practice the embodiments and illustrate the best mode of practicing the embodiments. Upon reading the following description in light of the accompanying drawing figures, those skilled in the art will understand the concepts of the disclosure and will recognize applications of these concepts not particularly addressed herein. It should be understood that these concepts and applications fall within the scope of the disclosure and the accompanying claims.

The present disclosure is a system and method for automatically and programmatically generating media item recommendations for visual display on a graphical user interface (GUI) based on a user-selected friend media item recommendation. The GUI allows a user to browse through a stream or list of friend media item recommendations, with the most recent media selection by the user being placed in a highlighted focus area on the GUI. The friend media item recommendation list is visually displayed adjacent the focus area by order of relation or likeness to the selected media item recommendation in the focus area on the GUI. A separate stream or list of programmatically-generated media item recommendations is automatically generated and visually displayed adjacent the focus area also by order of relation or likeness to the selected media item recommendation in the focus area on the GUI. In this manner, the user can browse friend media item recommendations, while at the same time being automatically presented with updated and programmatically-generated media item recommendations most closely related to the selected media item recommendation in the focus area of the GUI. This allows the user to easily and visually identify, browse, and/or select the most related or closest in likeness, but alternative media item selections to the selected media item recommendation in the focus area of the GUI at anytime.

In a main exemplary embodiment of the present disclosure, friend media item recommendations are displayed in a series of media item icons in a friend media item recommendation list visually displayed in a horizontal axis on each side of the selected media item in the focus area of the GUI. The friend media item recommendations most closely related by likeness to the selected media item are displayed in icons immediately proximate on both sides of the focus area. The less closely related friend media item recommendations are displayed in icons farther away and in descending relational order from the selected media item in the focus area in the horizontal axis. In this manner, the user may traverse the icons in the friend media item recommendation list in order of relevance to the selected media item in the focus area in a first axis.

As the user horizontally traverses the friend media item recommendation list and selects icons representing different media item recommendations to be displayed in the focus area, a programmatically-generated media item recommendation list is automatically generated. The programmatically-generated media item recommendation list is a stream of icons visually located and displayed in a vertical axis intersecting the focus area on the GUI. Like the friend media item recommendation list, the most closely related media items by likeness to the user-selected media item, among the programmatically-generated media item recommendation list, are displayed in icons immediately proximate on the top and bottom

6

sides of the focus area. The less closely related programmatically-generated media item recommendations are displayed in icons farther away in descending relational order from the highlighted area in the vertical axis.

In this manner, the user is automatically and visually provided with additional programmatically-generated media item recommendations related to friend media item recommendations selected for the focus area in an opposing axes. The user can, at any time, easily switch from one axis to the other, to traverse between the friend media item recommendation list and the programmatically-generated media item recommendation list, wherein each traverse provides the next most relevant media item recommendation in its list to the currently selected media item in the focus area.

An example of a GUI for displaying friend and programmatically-generated media item recommendation lists according to the present disclosure is illustrated in FIG. 1. Reference to the flowchart illustrated in FIG. 2 is also made where relevant to the description of the GUI illustrated in FIG. 1. As illustrated in FIG. 1, the GUI may be comprised of a media item recommendation window or screen 10 that contains several components. For instance, the window 10 may contain a banner area 12 at the top of the window 10 for displaying information about the application, such as a program code name 14. The program code name 14 may be user configurable. A menu bar 16 may provide one or more user selectable menus 18, 20, 22, 24 provided to allow the user to select different display options in the window 10, and/or navigate between different screens within the window 10 for providing media item related functions. FIG. 1 illustrates a "Nodes" menu 18 being selected, which is the display type displayed in the window 10 in FIG. 1. The "Nodes" menu 18 is selected by the user in the illustrated example for displaying the friend and programmatically-generated media item recommendations on the GUI in accordance with the present disclosure.

The friend and programmatically-generated media item recommendations are displayed in a main display area 26 in the window 10. In the illustrated embodiment, the media items displayed are audio or track media items. However, the media items are not limited to audio media items, and may be video, audio/visual, presentations, or any other type of media content. A currently selected media item recommendation 27 by the user is displayed in a focus area 28, which is centered in the window 10 in the exemplary embodiment (step 66, FIG. 2). The currently selected media item recommendation 27 remains in the focus area 28 until another media item is selected by the user. In the illustrated example, the selected media item recommendation 27 is a track from the album "Colin Hay." More information about the selected media item recommendation 27 is displayed in an information window 30 within the main window 10. Media item information 32 is displayed about the selected media item recommendation 27. For example, the album name, the recommended track, the producer, the year released, and the genre may be displayed along with a thumbnail 34 of the selected media item recommendation 27.

Audio play controls may be provided in an audio play control window 36 within the main window 10 to allow a user to control playing of the selected media item recommendation 27 in the focus area 28. The name of the media item recommendation track is provided in a name field 38. The user that recommended the media item recommendation track is located in a recommended user field 40. In this manner, the user can see the name of the "friend" that recommended the selected media item recommendation 27. A volume control 42, play controls 44 (typically consisting of

forward, reverse, and pause), and a progress bar **48** indicating where in the total duration of the media item and where in the track play is currently occurring, may also be provided as illustrated in FIG. 1.

In this exemplary embodiment, friend media item recommendations are displayed in a friend media item recommendation list **50**, which is displayed adjacent to the focus area **28** in a horizontal axis in the illustrated example (step **68**, FIG. **2**). The friend media item recommendation list **50** is comprised of a plurality of friend media item recommendations represented by icons **52**. The entire friend media item recommendation list **50** may not be fully illustrated due to window **10** size limitations. In the illustrated example, the friend recommendation icons **52** are album covers representing various albums. The actual friend media item recommendations **52** are tracks on albums.

The user can traverse the friend media item recommendations **52** in several manners. If the user desires to traverse among the friend media item recommendations **52**, the user can select either a left arrow **54** or a right arrow **56** located in the focus area **28**. In response, the friend media item recommendation list **50**, represented by the icons **52** in the illustrated example, is shifted right or left, respectively, in the window **10**. In this manner, the user is able to visually traverse through the friend media item recommendations **52** as desired. If the user shifts the friend media item recommendation list **50** enough times in one direction, previously unseen friend media item recommendation icons **52** that could not originally fit within the list **50** in the window **10** will appear, since the friend media item recommendation list **50** is shifted linearly.

If the user desires to select a particular friend media item recommendation **52** from the friend media item recommendation list **50**, the user clicks their mouse while the cursor is located over top the media item **52** (step **72**, FIG. **2**). The media item **52** selected is immediately moved to the focus area **28** as providing the currently selected media item recommendation **27**. The friend media item recommendation list **50** is also automatically shifted and/or reordered in the horizontal axis so that the media items icons **52** are maintained in their relational order by most closely related or closest in likeness to the selected media item recommendation **27** in the focus area **28**. The friend media item recommendations **52** are displayed in relational order to each other and to the selected media item recommendation **27** according to a scoring system or model, as will be described later in this application. The most closely related friend media items recommendations **52** to the selected media item recommendation **27** are displayed immediately proximate to the selected media item recommendation **27**. The next closely related media item recommendations **52** are displayed farther away from the focus area **28** in descending order of relation. In this manner, the user knows that each traversal through the friend media item recommendations **52** in the list **50** is displaying the next most related media item recommendation **52** to the selected media item recommendation **27**.

If the user simply wants to find out more information about a particular friend media item recommendation **52** without browsing or selecting the media item **52**, the user can also hold their mouse icon over the desired friend media item recommendation icon **52**. In response, a pop-up window (not shown) will appear in window **10** to provide identifying information, such as in the example of song media items, the album name, the recommended track name, the producer, the year released, and the genre.

In the exemplary embodiment and in response to an initial or user selected friend media item recommendation **52**, pro-

grammatically-generated media item recommendations are automatically generated and displayed in the window **10** according to a scored relation to the selected media item recommendation **27** displayed in the focus area **28** (step **70**, FIG. **2**). The programmatically-generated media item recommendations are displayed in a programmatically-generated media item recommendation list **58**, which is displayed adjacent the focus area **28** in a vertical intersecting axis to the focus area **28** in the illustrated example. In this manner, the user is automatically and visually provided with additional programmatically-generated media item recommendations **60** most closely related or closest in likeness to the selected media item recommendation **27** according to a relational model. In this embodiment, the programmatically-generated media item recommendation list **58** is displayed in an opposing axis to the friend media item recommendation list **50**. The programmatically-generated media item recommendation list **58** intersects the currently selected media item recommendation **27** as does the friend media item recommendation list **50** such that both lists **50**, **58** can easily be traversed by a user in the window **10**.

Similar to the friend media item recommendation list **50**, the programmatically-generated media item recommendation list **58** is comprised of individual programmatically-generated media items **60**, shown in the form of icons, that are automatically generated and associatively displayed according to a closest relation or closest likeness to the selected media item recommendation **27** in the focus area **28**. A programmatically-generated media item recommendation **60** is simply a media item recommendation that was not received by a "friend," but instead algorithmically generated according to a relational or associative algorithm in order to provide other relevant and closely related media item recommendations **60** to the currently selected media item recommendation **27** for the user in addition to friend media item recommendations **52**.

An algorithm, program, or other scheme may be employed to determine the most closely related or closest by likeness media items to the currently selected media item recommendation **27** to form the programmatically-generated media item recommendation list **58**. One method of determining relation or likeness between a media item recommendation **52**, **60** and the currently selected media item recommendation **28** is by determining the difference in the two in terms of "distance." For example, a distance of nothing or '0' means no difference, or the same media item. A higher distance rating exhibits a greater degree of difference or less likeness than a lower distance rating. The less distance between two media items, the more closely related they are. Attributes are selected that are representative of distance or likeness. The media items are then compared for distance by comparing the degree of differences between their respective attributes. FIG. **3** illustrates an example of a distance rating system.

As illustrated in FIG. **3**, a number of attributes may be selected to judge likeness or distance between two media items. In the example of a song media item in particular, these attributes for determining likeness may be, for example, the media item's:

- Artist
- Release Year
- Genre
- Content Distributor (label)
- Composer
- Encoding Time
- Parental Rating
- Producer
- BeatsPerMinute

Conductor
InitialKey
Lyrics
Mood
Publisher
Recommender

The attributes may be aligned in a distance chart along both of its axes. A distance rating would be filled into a table entry based on the distance between the two attributes intersecting the table entry. A lower rating indicates less distance, or greater likeness, between two given attributes in a table entry between the two song media items. So, determining the distance, and thus the likeness, between two song media items could be a summation of the distance between the individual attributes provided in the model, or table in the example of FIG. 3. The actual attributes used in the model could be any attributes that are designated as being related to relation or likeness, and could include the attributes listed above by example, or any other attributes desired.

With regard to the present disclosure, a distance rating like that or similar to the one described above may be employed to determine the order of media item recommendations 60 visually displayed for the programmatically-generated media item recommendations list 58, with the media item recommendations 60 having the lowest distance rating being located immediately adjacent or proximate both sides of the currently selected media item recommendation 27 in the focus area 28. The next closest in distance or next less closely related programmatically-generated media item recommendations 60 are displayed in icons 52 farther away in descending relational or distance order from the selected media item recommendation 27. In this manner, the user is automatically and visually provided with additional, programmatically-generated media item recommendations 60 most closely related or closest in likeness to the selected media item recommendation 27. The user can, at any time, easily switch from one axis to the other to traverse between the friend media item recommendation list 50 and the programmatically-generated media item recommendation list 58, wherein each traversal provides the next most relevant media item recommendation 52, 60 in its list 50, 58 to the currently selected media item recommendation 27 in the focus area 28.

Similar to the friend media item recommendation list 50, the user can traverse the programmatically-generated media item recommendation list 58 in several manners. If the user desires to traverse among the programmatically-generated media item recommendations 60, the user can select either an up arrow 62 or a down arrow 64 located in the focus area 28. In response, the programmatically-generated media item recommendation list 58, represented by the icons 60 in the illustrated example, is shifted up or down, respectively, in the window 10. The user is able to visually traverse through the programmatically-generated media item recommendations 60 according to their desire. If the user shifts the programmatically-generated media item recommendation list 58 enough times in one direction, previously unseen programmatically-generated media item recommendation icons 60 that could not originally fit within the list 58 in the window 10 will appear, since the programmatically-generated media item recommendation list 58 is shifted linearly.

Similar to the friend media item recommendation list 50, if the user desires to select a particular media item 60 from the programmatically-generated media item recommendation list 58, the user clicks their mouse while the cursor is located over top the desired media item 60 for selection (step 72, FIG. 2). A media item 60 selected is immediately moved to the focus area 28. The programmatically-generated media item

recommendation list 58 is also automatically shifted and/or reordered in the vertical axis so that the media items icons 60 are maintained in their proper relational order with respect to each other and the selected media item recommendation 27 in the focus area 28. The programmatically-generated media item recommendations 60 are displayed in relational order to each other according to a most closely related scoring system or model, as will be described later in this application. The most closely related programmatically-generated media items recommendations 60 to the selected media item recommendation 27 by likeness are displayed immediately proximate to the selected media item recommendation 27, with the next most closely relevant programmatically-generated media item recommendations 60 displayed farther away in descending order of relation. In this manner, the user knows that each traversal through the programmatically-generated media item recommendation list 58 is displaying the next most closely related media item 60 to the currently selected media item recommendation 27.

In the preferred embodiment, the friend recommendation media item list 50 is not reordered if the user selects a programmatically-generated media item 60 to be displayed as the selected media item recommendation 27 in the focus area 28. In an alternative embodiment, the friend recommendation media item list 50 is reordered based on its likeness relation to the selected programmatically-generated media item recommendation 27 in the focus area 28.

In summary, FIG. 1 provides a GUI that visually displays a selected media item recommendation 27 in a focus area 28. Friend media item recommendations are provided in a series or list that are displayed in a first adjacent area or axis in order or closest relation or likeness to the selected media item recommendation 27. Friend media item recommendations 52 most closely related to or like the selected media item recommendation 27 in the focus area 28 are displayed in icons immediately proximate on both sides of the focus area 28. Less closely related friend media item recommendations 52 are displayed in icons farther away in descending relational order from the focus area 28 in the horizontal axis. In this manner, the user can traverse the icons 52 in the friend media item recommendation list 50 in order of scored relationship to the selected media item recommendation 27 in the focus area 28.

As the user horizontally traverses the friend media item recommendation list 50 and selects icons 52 representing different media item recommendations 27 to be displayed in the focus area 28, the programmatically-generated media item recommendation list 58 is automatically generated. The programmatically-generated media item recommendation list 58 is a stream of icons 60 visually located and displayed in a different, such as vertical, axis intersecting the focus area 28 on the GUI. Like the friend media item recommendation list 50, the closest related or most like media items, among the programmatically-generated media item recommendation list 58, to the selected media item recommendation 27 in the focus area 28 are displayed in icons immediately proximate on both sides of the focus area 28. The less closely related, programmatically-generated media item recommendations 60 are displayed in icons farther away in descending relational order from the focus area 28 in the vertical axis.

In this manner, the user is automatically and visually provided with additional programmatically-generated media item recommendations 60 related to the friend media item recommendations 52 selected for the focus area 28 in an opposing axis. The user can, at any time, easily switch from one axis to the other, to traverse between the friend media item recommendation list 50 and the programmatically-gen-

11

erated media item recommendation list **58**, wherein each traversal provides the next most closely related media item recommendation in its list **50, 58** to the currently selected media item recommendation **27** in the focus area **28**. Note that the media item recommendation lists **50, 58** can be visually displayed in any area adjacent the focus area **28** and are not limited to being displayed in axes, including horizontal and vertical axes respective to the focus area **28**.

FIG. **4** illustrates an example of an alternative media item display to the “Nodes” display menu selection **18** in FIG. **1**. This view may be provided by a GUI to display media items in the user’s collection, including recommended media items, in a table format to illustrate how media item recommendations are typically scored when the user’s collection is not displayed in the “Nodes” view. The media item table in FIG. **4** illustrates how media item recommendations may be displayed to the user prior to the novel display system and method provided by the present disclosure.

As illustrated in FIG. **4**, a main media collection page or window **80** is provided. The current media item being played by the user is shown in a currently playing box **82**. In this example, the media items are music or songs. The current media item being played may be the initial selected media item recommendation **27** displayed in the focus area if the user were to switch from the media collection window **80** to the “Nodes” view, via “Nodes” menu **18**, for example. User controls **84** are provided to allow the user to control an audio/video (A/V) player, such as reversing, forwarding, and playing selected items. A volume slide control **86** is also provided to allow the user to control the volume of an A/V player.

Media items that are either populated from a server, or from the user’s A/V collection, or both and sent to the client application are listed in a media item table **88**. The media item table **88** is a music item table **88** and consists of numerous columns that provide key information about the media items to the user. A title column **90** provides the title of the music item. A time column **92** provides the length or duration of the music item when played. An artist column **94** provides the artist of the music item. An album column **96** provides the name of the album the song was included on. A score column **98** provides a score in terms of importance to the user according to their user preferences stored as a result of the registration process and/or determined by a server based on the owned media items in the user’s A/V collection. This score illustrated in score column **98** is typically different than the relational score used to display media items in a “Nodes” view, like illustrated in FIG. **1**. For example, the track “Looking for Jack” by Colin Hay, which was recommended by user “Jen365” has the highest score of “92” based on the user’s preferences fed into the scoring model.

A genre column **100**, a year column **102**, a received time and date column **104**, and a played column **106** provide the genre type, the year of release, the date and time of receipt, and the date and time of the last play of the music item, respectively. A scroll bar **108** is available for the user to scroll up and down through their song items.

A recommender column **110** contains a user id or name of the person or friend that recommended the media item to the user. The user can establish a list of friends that are able to provide friend recommendations as disclosed in U.S. patent application Ser. No. 11/484,130 entitled “P2P NETWORK FOR PROVIDING REAL TIME MEDIA RECOMMENDATIONS,” previously referenced above. The user is able to navigate the media item table **88** by “point and click” to play items, download items, and request content from a server and/or other sources.

12

The flow charts in FIGS. **5A** and **5B** illustrate another embodiment of the how the present disclosure may be performed. For example, the process is illustrated starting from when a user initially selects the “Nodes” menu **18**, as in the example of FIG. **1**, to display the friend and programmatically-generated media item recommendation lists **50, 58** in different axes. Further, an exemplary process by which the friend and programmatically-generated media item recommendation lists **50, 58** are updated when a user makes a new media item recommendation selection to display as the currently selected media item recommendation **27** in the focus area **28** is set forth.

As illustrated in FIG. **5A**, the process starts (step **110**), and media items are displayed in the media item table **88** on the GUI with recommendation scoring information calculated and provided (step **112**). The user is able to browser through the media items, including the friend media item recommendations **52**, in the media item table **88** (step **114**). The user then selects a specific friend media item recommendation **52** of interest from the media item table **88** on the GUI (step **116**). In order for the user to change the GUI to the “Nodes” display format, an example of which is illustrated in FIG. **1**, the user may select a “Nodes” view or menu **18** (step **118**). In this manner, the media item selected by the user from the media item table **88** is displayed is the initial selected media item recommendation **27** displayed in the focus area **28** (step **120**) on the GUI.

Next, the friend media item recommendations **52** having the closest distance or likeness scores to the selected media item recommendation **27** are displayed immediately proximate to the focus area **28** (step **122**). The next closest or closest in likeness or distance friend media item recommendations **52** are displayed next, and so on, until the friend media item recommendation list **50** is displayed in the main window **10** (step **122**). Other media item recommendations **60** related to the selected media item recommendation **27** in the focus area **28** are programmatically-generated and displayed in different or opposing vertical axis to the friend media item recommendation list **50** and intersecting the focus area **28** based on a relational scoring system. The scoring system identifies the closest related programmatically-generated media item recommendations **60**, as previously described (steps **124, 126**).

If a new media item recommendation selection is made by the user, from one of the recommendation lists **50, 58** in the window **10** (decision **128**), the process continues to FIG. **5B**, where it is determined if the selection is from the friend media item recommendation list **50** or the programmatically-generated media item recommendation list **58** (decision **130**). If from the programmatically-generated media item recommendation list **58**, the programmatically-generated selected item **60** is moved to the focus area **28**, and the programmatically-generated media item recommendations **60** are shifted accordingly (step **132**). Optionally, as discussed above, the friend media item recommendation list **50** may be reordered to display friend media item recommendations **52** having the closest relational score or likeness to the selected programmatically-generated media item recommendations **60** selected for the focus area **28** (step **134**).

If, in decision **130**, a friend media item recommendation **52** is selected by the user from the friend media item recommendation list **50**, the selected friend media recommendation item **52** is moved to the focus area **28** (step **134**). The friend media item recommendation list **50** is shifted accordingly (step **136**). A new programmatically-generated media item recommendation list **58** is generated based on the new closest in likeness determination between the selected friend media

13

item recommendation 27 and the programmatically-generated media item recommendations 60 (step 138). The programmatically-generated media item recommendations 60 may be updated locally at a client application, or remotely at a server or other peer device. After any of the recommendation lists 50, 58 are updated based on new most closely related determinations between the friend and/or programmatically-generated recommendations 52, 60 to the user-selected media item recommendation 27, the user-selected media item recommendation 27 and both recommendation lists 50, 58 are displayed by the GUI (steps 140, 142, 144). If the user exits the "Nodes" view in the GUI (decision 146), the process repeats, such as for example by the GUI displaying the media collection window 80 as illustrated in FIG. 4, by returning back to step 112 in FIG. 5A. If the user does not exit the "Nodes" view in the GUI (decision 146), the process returns back to decision 130 to await a new media item recommendation selection by the user.

In order to receive friend media item recommendations 52, the GUI is executed on a user device that is coupled to a network to other friend user devices and/or a server(s). In this manner, friend recommendations can be received from others. In addition, it may be desired to determine and/or provide the programmatically-generated media item recommendations 60 from an offsite system, such as from a server, proxy server, networked peer device, and/or a remote database. In this regard, FIG. 6 illustrates an exemplary media item recommendation system 150. One or more user devices 152 are illustrated as networked computing devices employed by a user to use and/or play media items, including friend and programmatically-generated media item recommendations 52, 60. FIG. 6 illustrates a plurality of user devices 152, namely user devices 152A, 152B, 152C, and up through including any number of user devices to 152N. The user devices 152 provide the GUI to the user as well as a networked device to receive friend and programmatically-generated media item recommendations 52, 60 from other devices and/or systems.

The user devices 152 typically contain a web browser and/or client application 154 to provide the GUI to the user. A recommendation engine 156 may be provided to handle recommendation related processing, such as the operations provided by the present disclosure. An A/V player 158 may be provided to allow the user to play and/or use media items, including recommendations. Lastly, the user devices 152 may include their own A/V collection 160, comprising media items either stored locally or accessible from a remote system over a network 162, such as the Internet, which is a TCP-IP based network.

The web browser or client application 154 can establish a connection over the network 162 to a central/proxy server 164. The server 164 can be any type of computing device that is coupled to the network 162. Examples of user devices 152 that may be used to access the server 164 and/or other users over the network 162 include, but are not limited to, personal computers, wireless portable media players (PMPs), personal digital assistants (PDAs), and the like.

The server 164 may be comprised of several components to facilitate user connections and provide media related services. These components may be comprised of a web component 166, a market component 168, and a server component 170. The server component 170 may also provide an application program interface (API) 172 to provide a downloadable client application to the user devices 152 for interfacing, ordering, and receiving media related services from the server 164 after an initial session is established between a user device 152 and the server 164 via the web browser 154, for

14

example. A database 174 may be located on location at the server 164 for storage of data, including but not limited to media items and information relating to friend and/or programmatically-generated media item recommendations 52, 60. A network accessible database 174' may also be utilized to provide storage capabilities remote from the server 164 and/or as backup data storage, if desired.

Some media items requested and/or recommended that need to be accessed may not be stored locally in the server database 174 or the network database 174', but rather obtained from subscription services 176 via network 162 access on-demand. In this regard, network accessible subscription services 176 may be provided for user devices 152 to access media items for downloading. The server 164 and/or the user devices 152 may access the subscription services 176 over the network 162. Further, the server 164 and/or the user devices 152 can communicate over the network 162 with content identification systems 178 to provide identifying and other characteristic information about media items, such as information regarding artists, song titles, genre, etc. in the example of song content in particular. This information may be used to provide the media item information 32 for the selected media item recommendation 27 displayed in the focus area 28, as illustrated in FIG. 1. This allows access to user friendly information about media items as part of the services provided by the server 164 and/or the user devices 152. The identification systems 178 may be coupled with or contain content descriptors 180 that are compared to media items to identify and provide information regarding media items. For an example of songs in particular, the descriptors 180 may include known fingerprints and/or Global Unique IDs (GUIDs) to identify songs and obtain metadata containing information about the songs, such as title, artist, genre, etc. A uniform resource locator (URL) may be included to identify location(s) for the descriptor information.

FIG. 7 illustrates an exemplary communication flow diagram that may be employed by the media item recommendation system 150 illustrated in FIG. 6. The process may be used to send friend media item recommendations 52 as a precursor for a user receiving the media item recommendations to employ the present disclosure. In this regard, a first user may play a media item on their user device 152A using their A/V player 158A (step 200). The media item played may then be selected to be recommended to another friend user (step 202). The user device 152A sends the media item recommendation to the server 164 or peer device (step 204) destined for a recipient. The media item recommendation is then forwarded to the recipient friend, which is user device 152N in the illustrated example (step 206). Thereafter, the media item recommendation can be displayed by the user in the media item table 88, such as illustrated in FIG. 4 (step 208). The user may cause the GUI executing on the user device 152N to enter the "Nodes" display mode, as illustrated by example in FIG. 1 (step 210).

Next, the friend media item recommendation list 50 may be determined and displayed according to the closest likeness or relation to the selected media item recommendation 27 (step 212). The programmatically-generated media item recommendation list 58 is then requested offsite from the server 164 or from a peer device as examples, as an optional step (step 214). This is because the programmatically-generated media item recommendations 60 may not be provided locally at the user device 152N, and may be determined by a relational likeness or distance determination system or algorithm provided by another system on-demand, as needed. If requested, the results are returned (step 216), and the GUI displays the selected media item recommendation 27 in the focus area 28,

15

with the friend media item recommendation list **50** displayed in a first intersecting axis and the programmatically-generated media item recommendation list **58** provided in a second intersecting axis, as previously described above and illustrated in FIG. **1** (step **218**).

FIG. **8** is a flow chart illustrating an alternative embodiment of how a likeness or distance score may be assigned to media item recommendations **52**, **60** in order to provide an ordered friend media item recommendation list **50** for the present disclosure. In this embodiment, the model is based in part on user-defined preferences for choosing or weighing attributes regarding media items. Other methods may be employed, and the present disclosure is not limited to use of user preferences for determining or weighting media item attributes. As discussed above, a likeness or distance model or algorithm is employed to order a users' friend media item recommendations **52** for browsing and/or selection. In this manner, the user can browse through friend media item recommendations **52** in order or likeness. In response to selection of a friend media item recommendation **52**, programmatically-generated media item recommendations **60** are scored by likeness and generated based on closest relation or likeness to the selected media item recommendation **27** for display in a different axis from the friend media item recommendation list **50**.

Turning to FIG. **8**, the user preferences are obtained (step **230**). The friend media item recommendations **52** received previously by the user from friends are scored for likeness based in part on the user's preferences for attributes used in the model (step **232**). The likeness or distance is stored, typically at the user device **152**, for use by the client application when needed, such as when providing the features of the present disclosure (step **234**). If a new media item recommendation is received (decision **236**), the process may be repeated to determine the likeness or distance of the media item recommendations **52**, **60** since a new received media item recommendation could alter the order of the media item recommendations **52**, **60**. If a raw likeness score is used to score media item recommendations **52**, **60**, the process may not need to be completely repeated, but only the newly received media item recommendation be scored to determine if the recommendations **52**, **60** should be reordered.

FIG. **9** is an example of a GUI **320** where a user can select the desired weights of certain media item attributes that may be used to determine likeness between two media items by adjusting corresponding sliding bars **322-330**. Once the weights are assigned, the user may select an OK button **332** to store the weighting of the media item attributes, or select a REVERT button **334** to return the weights of the categories to their previous or default settings. In addition, the user may select a SUGGEST FROM PROFILE button **336** to have the recommendation engine **156** or server **164** suggest weights for the categories based on a user profile.

It should be noted that the term "relation" in the present disclosure is mean to represent relation between two media items, whether that be based on likeness, distance, or any other relation. The term "relation" is meant to encompass any of these alternative phraseologies to compare media item recommendations in accordance with the present disclosure. These terms are used interchangeably to set forth the concept of determining the most closely related or most closely alike media items according to whatever model or scoring system is employed. The present disclosure is not limited to any particular model or scoring system. Any number of different attributes, which may or may not be influenced by a user's preferences or selections, may be used, and still be within the scope and spirit of the present disclosure.

16

Those skilled in the art will recognize improvements and modifications to the preferred embodiments of the present disclosure. All such improvements and modifications are considered within the scope of the concepts disclosed herein and the claims that follow.

What is claimed is:

1. A method for providing social and programmatically-generated media item recommendations to a user on a user interface, comprising the steps of:

displaying a user-selected media item recommendation in a focus area on a user interface of a display device; determining a social media item recommendation list comprising one or more social media item recommendations;

determining a programmatically-generated media item recommendation list comprising one or more programmatically-generated media item recommendations;

displaying the social media item recommendation list in a first area on the user interface; and

displaying the programmatically-generated media item recommendation list in a second area on the user interface different from the first area wherein the first area is a first axis, and the second area is a second axis and wherein the programmatically-generated media item recommendation list in the second axis intersects the focus area on the user interface.

2. The method of claim 1, wherein the social media item recommendation list in the first axis intersects the focus area on the user interface.

3. The method of claim 1, wherein the programmatically-generated media item recommendation list in the second axis intersects the focus area on the user interface.

4. The method of claim 1, wherein the first axis is a horizontal axis, and the second axis is a vertical axis, wherein the focus area is in substantially the center of the user interface.

5. The method of claim 1, wherein the first area is a first adjacent area to the focus area, and the second area is a second adjacent area to the focus area.

6. The method of claim 1, wherein the step of displaying the programmatically-generated media item recommendation list further comprises displaying an icon list on the user interface graphically representing the one or more programmatically-generated media item recommendations.

7. The method of claim 1, wherein the step of displaying the social media item recommendation list further comprises displaying an icon list on the user interface graphically representing the one or more social media item recommendations.

8. The method of claim 1, wherein the step of generating the programmatically-generated media item recommendation list comprises determining the relation of a set of media item recommendations to the user-selected media item recommendation.

9. The method of claim 8, wherein the relation is determined by determining a relation score between the set of media item recommendations and the user-selected media item recommendation.

10. The method of claim 9, wherein the most closely related media item recommendations, among the set of media item recommendations, to the user-selected media item recommendation are displayed closest to the user-selected media item recommendation on the user interface in the programmatically-generated media item recommendation list.

11. The method of claim 1, wherein the programmatically-generated media item recommendation list is ordered in rank of relevance to the user-selected media item recommendation.

17

12. The method of claim 1, further comprising automatically updating the one or more programmatically-generated media item recommendations in the programmatically-generated media item recommendation list when the user-selected media item recommendation is changed.

13. The method of claim 12, wherein the step of generating the programmatically-generated media item recommendation list comprises determining the relation of a set of media item recommendations to the user-selected media item recommendation.

14. The method of claim 1, wherein the step of generating the social media item recommendation list comprises determining the relation of the user's social media item recommendations to the user-selected media item recommendation.

15. The method of claim 12, wherein the user's most closely related social media item recommendations to the user-selected media item recommendation is displayed closest to the user-selected media item recommendation on the user interface in social media item recommendation list.

16. The method of claim 1, wherein the social media item recommendation list is ordered in rank of relevance to the user-selected media item recommendation.

17. The method of claim 16, wherein the rank of relevance is determined by determining a relation score for the user's social media item recommendations against user preference established for the user.

18. The method of claim 1, further comprising automatically updating the one or more social media item recommendations in the social media item recommendation list when the user-selected media item is changed.

19. The method of claim 18, wherein the step of generating the social media item recommendation list comprises determining the user's social media item recommendations related to the user-selected media item recommendation.

20. The method of claim 1, further comprising shifting the programmatically-generated media item recommendation list in response to receiving a user selection to traverse the programmatically-generated media item recommendation list on the user interface.

21. The method of claim 1, further comprising shifting the social media item recommendation list in response to receiving a user selection to traverse the social media item recommendation list on the user interface.

22. The method of claim 1, further comprising displaying media-related information about the user-selected media item recommendation on the user interface.

23. The method of claim 1, further comprising displaying media-related information about a social media item recommendation within the social media item recommendation list in a pop-up window on the user interface in response to receiving a cursor rollover overtop the social media item recommendation.

24. The method of claim 1, further comprising displaying media-related information about a programmatically-generated media item recommendation within the programmatically-generated media item recommendation list in a pop-up window on the user interface in response to receiving a cursor rollover overtop the programmatically-generated media item recommendation.

25. A system providing a media application for providing social and programmatically-generated media item recommendations to a user on a user interface, comprising:

a system executing a media application;

wherein the media application is adapted to:

display a user-selected media item recommendation in a focus area on a user interface;

18

determine a social media item recommendation list comprising one or more social media item recommendations;

determine a programmatically-generated media item recommendation list comprising one or more programmatically-generated media item recommendations;

display the social media item recommendation list in a first area on the user interface; and

display the programmatically-generated media item recommendation list in a second area on the user interface different from the first area wherein the first area is a first axis, and the second area is a second axis and wherein the programmatically-generated media item recommendation list in the second axis intersects the focus area on the user interface.

26. The system of claim 25, wherein the media application is further adapted to determine the relation of a set of media item recommendations to the user-selected media item recommendation.

27. The system of claim 26, wherein the media application is further adapted to determine the relation by determining a relation score between the set of media item recommendations and the user-selected media item recommendation.

28. The system of claim 26, wherein the media application is further adapted to display the most closely related media item recommendations, among the set of media item recommendations, to the user-selected media item recommendation on the user interface in the programmatically-generated media item recommendation list.

29. The system of claim 25, wherein the media application is further adapted to automatically update the one or more programmatically-generated media item recommendations in the programmatically-generated media item recommendation list when the user-selected media item recommendation is changed.

30. The system of claim 25, wherein the media application is further adapted to determine the relation of the user's social media item recommendations to the user-selected media item recommendation to generate the social media item recommendation list.

31. The system of claim 30, wherein the media application is further adapted to display the user's most closely related social media item recommendations to the user-selected media item recommendation on the user interface in the social media item recommendation list.

32. A user interface generated by a media application executing on a microprocessor-based user device, comprising: a focus area; a user-selected media item recommendation displayed in the focus area;

a social media item recommendation list comprising one or more social media item recommendations in a first area; and

a programmatically-generated media item recommendation list comprising one or more programmatically-generated media item recommendations in a second area different from the first area wherein the first area is a first axis, and the second area is a second axis and wherein the programmatically-generated media item recommendation list in the second axis intersects the focus area on the user interface.

33. The user interface of claim 32, wherein the social media item recommendation list in the first axis intersects the focus area on the user interface.

34. The user interface of claim 32, wherein the first area is a first adjacent area to the focus area, and the second area is a second adjacent area to the focus area.

19

35. The user interface of claim 32, wherein the programmatically-generated media item recommendation list further comprises an icon list on the user interface graphically representing the one or more programmatically-generated media item recommendations.

36. The user interface of claim 32, wherein the social media item recommendation list further comprises an icon list on the user interface graphically representing the one or social media item recommendations.

37. The user interface of claim 32, wherein the first axis is a horizontal axis, and the second axis is a vertical axis, wherein the focus area is in substantially the center of the user interface.

38. A non-transitory computer readable medium storing software for instructing a controller of a computing device to:
 display a user-selected media item recommendation in a focus area on a user interface of a display device;
 determine a social media item recommendation list comprising one or more social media item recommendations;
 determine a programmatically-generated media item recommendation list comprising one or more programmatically-generated media item recommendations;
 display the social media item recommendation list in a first area on the user interface; and
 display the programmatically-generated media item recommendation list in a second area on the user interface different from the first area wherein the first area is a first axis, and the second area is a second axis and wherein the programmatically-generated media item recommendation list in the second axis intersects the focus area on the user interface.

20

39. The system of claim 38, wherein the controller is further instructed to determine the relation of a set of media item recommendations to the user-selected media item recommendation.

40. The system of claim 39, wherein the controller is further instructed to determine the relation by determining a relation score between the set of media item recommendations and the user-selected media item recommendation.

41. The system of claim 39, wherein the controller is further instructed to display the most closely related media item recommendations, among the set of media item recommendations, to the user-selected media item recommendation on the user interface in the programmatically-generated media item recommendation list.

42. The system of claim 38, wherein the controller is further instructed to automatically update the one or more programmatically-generated media item recommendations in the programmatically-generated media item recommendation list when the user-selected media item recommendation is changed.

43. The system of claim 38, wherein the controller is further instructed to determine the relation of the user's social media item recommendations to the user-selected media item recommendation to generate the social media item recommendation list.

44. The system of claim 43, wherein the controller is further instructed to display the user's most closely related social media item recommendations to the user-selected media item recommendation on the user interface in the social media item recommendation list.

* * * * *